

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	61	(authoriz\$5).ab. and (user client subscriber agent customer) near5 (id identifier) and access\$3 with (based according associated corresponding) and compar\$5 with (algorithm claculat\$3 mathematic computation comuting) and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:44
L2	58	(authoriz\$5).ab. and (user client subscriber agent customer) near5 (id identifier) and access\$3 with (based according associated corresponding) and compar\$5 with (algorithm claculat\$3 mathematic computation comuting) and (@ad<"20011221" @rlad<"20011221") and (hardware system apparatus mac device component) with (id identifier address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:46
L3	42	(authoriz\$5).ab. and (user client subscriber agent customer) near5 (id identifier) same access\$3 with (based according associated corresponding) and compar\$5 with (algorithm claculat\$3 mathematic computation comuting) and (@ad<"20011221" @rlad<"20011221") and (hardware system apparatus mac device component) with (id identifier address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:51
L4	38	3 and dependent near3 (user client subscriber agent customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:47
L5	97	(authoriz\$5).ab. and (user client subscriber agent customer) near5 (id identifier)and dependent near3 (user client subscriber agent customer) and (@ad<"20011221" @rlad<"20011221") and (hardware system apparatus mac device component) with (id identifier address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:52

EAST Search History

L6	113	(author\$7).ab. and (user client subscriber agent customer) near5 (id identifier)and dependent near3 (user client subscriber agent customer) and (@ad<"20011221" @rlad<"20011221") and (hardware system apparatus mac device component) with (id identifier address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:52
L7	63	(author\$7).ab. and (user client subscriber agent customer) near5 (id identifier)and dependent near (user client subscriber agent customer) and (@ad<"20011221" @rlad<"20011221") and (hardware system apparatus mac device component) with (id identifier address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 10:10
L8	109931	(@ad<"20011221" @rlad<"20011221") and (identif\$4 detect\$3 discover\$3 extract\$3 elect\$3 prevent\$5 filter\$3) with (hardware system apparatus mac device component) with (id identifier address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 10:11
L9	696	(@ad<"20011221" @rlad<"20011221") and (identif\$4 detect\$3 discover\$3 extract\$3 elect\$3 prevent\$5 filter\$3) with unautho\$7 with (hardware system apparatus mac device component) with (id identifier address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 10:34
L10	25	9 and second adj3 (password passkey passcode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 10:36
L11	5	10 and compar\$5 with (prevent\$5 unauthor\$7 authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 10:37
L12	467	(@ad<"20011221" @rlad<"20011221") and (identif\$4 detect\$3 discover\$3 extract\$3 elect\$3 prevent\$5 filter\$3) with unautho\$7 with (hardware system apparatus mac device component terminal equipment node station) near5 (id identifier address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 10:35

EAST Search History

L13	14	12 and second adj3 (password passkey passcode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 10:36
L14	4	13 and compar\$5 with (prevent\$5 unauthor\$7 authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 10:37